

L Number	Hits	Search Text	DB	Time stamp
1	147	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 12:42
2	45	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and security with level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 12:42
3	25	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and security with level and encrypt\$4 with security	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 12:43
4	6	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and security with level and encrypt\$4 with security with level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 12:43
-	23279	remot\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:31
-	706	remot\$4 with storage and dedicat\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 12:41
-	272	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:32
-	151	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:32
-	41	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identification)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:33
-	25	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identification) and storage with address	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:33
-	3	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identification) and storage with address with network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:34
-	5	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identification) and storage with address and connect with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:34
-	23	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identification) and storage with address and connect\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:35
-	19	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identification) and storage with address and connect\$4 with storage and transmit\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:35
-	19	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identification) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identif\$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:36

-	20	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:36
-	0	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and grant\$4 with access with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:37
-	0	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and grant\$4 with access\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:37
-	20	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and access\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:37
-	1	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and access\$4 with storage and storage with address with network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:38
-	11	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and access\$4 with storage and storage with (address location) with network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:38
-	20	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and access\$4 with storage and storage with (address location)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:54
-	2	("5892900" "5388260").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 09:18
-	0	("5892900" "5388260").pn. and remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identifi\$6) and access\$4 with storage and storage with (address location)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:53
-	0	("5892900" "5388260").pn. and remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identifi\$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:53

-	0	("5892900" "5388260").pn. and remot\$4 with storage and dedicat\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:54
-	1	("5892900" "5388260").pn. and remot\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:54
-	147	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:55
-	122	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:55
-	97	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:55
-	56	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:56
-	44	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:56
-	29	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 11:57
-	29	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:13
-	3	("6370614" "6584466" "6427032" "6356941" "5495607" "5321816").pn. and client with computer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:11
-	6	("6370614" "6584466" "6427032" "6356941" "5495607" "5321816").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:10
-	29	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:51
-	20	remot\$4 with storage and dedicat\$4 with storage and access\$4 with request\$4 with storage and user with (id identif\$6) and storage with address and connect\$4 with storage and transmit\$4 with storage and storage with (id identif\$6) and access\$4 with storage and storage with address	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:49

-	19	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and transmit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:51
-	20	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and transmit\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 12:57
-	29	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and secur\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:09
-	23	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and secur\$4 with storage and access with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 13:54
-	2	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and secur\$4 with storage and access with storage with dedicat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/04 13:54
-	1	5754170.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 09:19
-	16	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and secur\$4 with storage and logical	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:14
-	3365	logical with storage with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:13
-	804	logical with storage with device and peripheral	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:13
-	600	logical with storage with device and peripheral with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:15

-	0	remot\$4 with storage and dedicat\$4 with storage and secur\$4 with storage and network and storage with (location address) and request\$4 with access\$4 and identif\$6 with storage and identif\$6 with user not hewlett.as. and (client user) with (computer pc machine system) and secur\$4 with storage and logical with peripheral	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:15
-	130	logical with storage with peripheral	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:16
-	8	logical with storage with peripheral and dedicate\$4 with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:16
-	12	logical with storage with peripheral and remote with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:16
-	4	logical with storage with peripheral and remote with storage and dedicated and secure	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:22
-	0	logical with data with storage with peripheral and remote with storage and dedicated with storage and secure with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:22
-	60	logical with data with storage with peripheral	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:22
-	2	logical with data with storage with peripheral and remote and secure	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:24
-	9	logical with storage with peripheral and remote and secure	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:27
-	9	logical with storage with peripheral and remote and secure and peripheral with storage	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:30
-	6	logical with storage with peripheral and remote and secure and peripheral with storage and controller	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 11:30